



Catalogue 2017-2018

Tools for plumbing professionals

© 2017 - wev Schmalkalden



sinkfix.de

A brand of wev Schmalkalden

Contact >

wev Schmalkalden is your partner in plumbing special tools.



Owner/CEO



Matthias Herrmann

Phone: +49 (0) 3683 6465689

E-Mail:
m.herrmann@sinkfix.de



Technical director/CTO



Robert Herrmann

Phone: +49 (0) 3683 6465689

E-Mail:
r.herrmann@sinkfix.de

Table of contents >



Drive tools

page: 2-3



Stud screwdriver

page: 13-14



Key for mixer taps

page: 4-5



Sanitary tool sets

page: 15-24



Special tool accessories

page: 6-12



Sales displays

page: 25



Universal stud screw key drive tool M8/M10



- Drive tool for installing and removing of stud screws M8 and M10.
- Connecting of all 10 mm hex head accessories tools with plug clamping effect.
- Peak traction because of 6-roll technology.
- 2- component plastic handle for good grip.

Item No.	Thread	Length (mm)	Weight (g)
10001	M8+ M10	225	377



1/2" Flexible, handle



- 1/2" drive tool for operate tools with 1/2" female square drive.
- All actuating tools with 10 mm hex head drive can be combined with the stud screwdriver with 1/2"- female square (Item No. 20410) and 1/2" Flexible, handle.
- With 180° swingable hinge and 1/2"- square.
- 2- component plastic handle for good grip.

Item No.	Square	Length (mm)	Weight (g)
10004	1/2"	185	196



Drive tools



1/2" Pivot Head Ratchet Wrench, 72 Teeth



- Drive tool for operate tools with 1/2" female square drive.
- The small dimensions allow a precise working even in places where access is difficult.
- All actuating tools with 10 mm hex head drive can be combined with the stud screwdriver with 1/2"- female square (Item No. 20410) and these drive tool.
- With 180° swingable ratched- head and 1/2"- square.
- 2- component plastic handle for good grip.

Item No.	Square	Length (mm)	Weight (g)
10005	1/2"	160	360



1/4" Ratchet bit screwdriver



- robust toothed with 24 teeth
- with ratchet function
- 180 ° five-fold adjustable blade
- for bits according to DIN 3126 / C 6.3
- with magnet
- Integrated bit magazine with 13 bits
- Ergonomic handle
- All actuation tools with combi- drive can be operated with this tool.

Item No.	Hex head	Length (mm)	Weight (g)
10008	1/4"	190	380

Key for mixer taps



Key for mixer taps, extra long



Item No.	Size	Length (mm)	Weight (g)
10109	A/F 9	185	89
10110	A/F 10	185	88
10111	A/F 11	185	135
10112	A/F 12	185	132
10113	A/F 13	185	131
10114	A/F 14	185	163

- Extremely slim special socket key to mount the securing screw of fittings even in very difficult places.
- inside hollow
- Special socket key A/F 10 also for extending can be combined for working on kitchen sink.. As a result you reach a length of 370 mm.

1/4" Special socket key A/F 13

- 10 mm -1/4" Combi- drive
- ideal for toilet seat mounting or mixer tap mounting
- inside hollow



Item No.	Size	Length (mm)	Weight (g)
10313	A/F 13	160	100



Key for mixer taps

Sink fittings socket



- Novel tool for operating the large and difficult accessible Lock nuts, on kitchen sinks and bathroom furniture.
- The pivot point of the key is centrally to the fittings axis. This exercise considerably more force on the nut.
- The large recess in the center of the key makes it possible to thread the flexible water hoses through the key.
- For all 1/2" - square drives.

Available in the following sizes:

Item No.	Size	Length (mm)	Weight (g)
10227	A/F 27	200	266
10232	A/F 32	215	365
10234	A/F 34	215	550
10236	A/F 36	215	553
10237	A/F 37	215	597
10240	A/F 40	215	600
10246	A/F 46	220	1069





Angle valve screw- in- assistance



- Gentle mounting of Angle valves, also suitable for very narrow places.
- This tool saves time and prevents scratches on sensitive surfaces.
- Available in 2 drive variants.

Item No.	Drive	Length (mm)	Weight (g)
10009	1/2" - female square	65	195
10010	10 mm- hex head	80	232



Combi- Angle valve screw- in- assistance



- For gentle mounting of Combi- Angle valves, also suitable for very narrow places.
- 2 grooves
- larger inside diameter than Angle valve screw- in assistance
- Available in 2 drive variants.

Item No.	Drive	Length (mm)	Weight (g)
10016	1/2" - female square	75	278
10116	10 mm- hex head	90	320



Special tools accessories

S- Connection- Mounting tool 3/4"



- Special socket key to turn in and out of eccentric fittings for wall tapware.
- Peak traction because of unique 12- roll technology.
- Available in 2 drive variants.

Item No.	Drive	Length (mm)	Weight (g)
10103	1/2" - female square	38	203
10003	10 mm- hex head	38	150

S- Connection- Mounting tool 1/2"




- Special socket key to turn in and out of eccentric fittings for wall tapware.
- Peak traction because of unique 10- roll technology.
- Available in 2 drive variants.

Item No.	Drive	Length (mm)	Weight (g)
10014	1/2" - female square	38	130
10013	10 mm- hex head	38	93



Normfix- assembly template 3/4"


- Template for the quick alignment of the 3/4" S- connections of standard wall- mounted tapware in connection with Sinkfix S- connection mounting tool 3/4". (Item-No. 10103 or 10003).
- The recessed spirit level allows the two S-connection fittings to be aligned horizontally.
- The S connections are aligned horizontally, if the S- connection tool 3/4 " snap in the respective standard spacing recess of the Normfix- assembly template.
- Standard distances: 75 - 100 - 120 - 150 - 153 - 200 - 240 mm



Item No.	Thread	Length (mm)	Weight (g)
10018	3/4"	285	283

S- Connection- Mounting- Set, 1-pc.

- Normfix- assembly template 3/4" securely packaged in a small case.
- It is possible to upgrade with the S- Connection- Mounting tool 3/4".
- With optional recess in the foam inlay for S- Connection tool.



Item No.	Description	Length (mm)	Width (mm)	Height (mm)	Weight (g)
30201	S- Connection- Mounting- Set, 1-pc.	345	85	55	475





Special tools accessories

Ventilfix, Tool for drain valves 1.1/4"

- Gentle tapware siphon- tool for damage- free counterbalance of drain valves.
- plastic body

Item No.	Drive	Length (mm)	Weight (g)
10011	1/2" - female square	100	177
10002	10 mm hex head	91	144
10102	T- handle	100	234



Ventilfix Duo, Tool for drain valves 1" and 1.1/4"

- Gentle tapware siphon- tool for damage- free counterbalance of drain valves.
- plastic body
- 2 sizes on one tool

Item No.	Drive	Length (mm)	Weight (g)
10012	1/2" - female square	135	215
10015	10 mm hex head	135	164
10115	T- handle	135	272





Universal key for toilet seat fixing

- Plug-in socket for the assembly of WC seats.
- For plenty popular WC- seat wing screws.



Item No.	Drive	Length (mm)	Weight (g)
10105	1/2" - female square	112	63
10006	Combi- drive	107	80




Toilet Seat Uni-Flex key

- Robust hinge key to actuate wing nuts and 13 mm lock nuts on toilet seat fixings.
- WC- wing nut key out of POM- plastic
- 13 mm Special key is hollow inside.
- Both keys are fixed by a robust steel joint.



Item No.	Länge (mm)	Weight (g)
10106	240	172





Special tools accessories



Tap extension milling cutter 1/2"

- For wall- flush trimming of 1/2"- tap extensions out of brass or red brass.
- With thread chamfer function because of special double-sided sharpening of carbide insert.
- It supersedes to string together several tap extensions. This saves time and costs.
- Protective cap made of plastic prevents chips from flying around.
- For the machine drive.

Item No.	Drive	Length (mm)	Weight (g)
10007	SDS	105	160
10107	1/4"- hex head	90	155



Spare parts:

Item No.	Description
10117	Carbide reversing plate for Tap extension milling cutter 1/2"
10127	Screw for Carbide reversing plate



Tap extension- Bit, 1/2"- female square, A/F 12

- For screwing in and unscrewing 1/2" tap extensions.
- Allows the time and space saving use of 1/2" ratchet.
- Outside hexagon A/F 12.
- Optimal length also for longer or stringed Tap extensions.

Item No.	Drive	Length (mm)	Weight (g)
11103	1/2"- female square	150	180





Double Hole Punch

- 2 sizes on one tool: 32 mm / 35 mm
- 3- point cutting edge per side

Suitable for:

- > iron-, steel-, copper- and aluminium- sheets to 2 mm
- > stainless- steel sinks and other stainless steel- plates to 1,5 mm

For punching a 12 mm hole must be pre- drilled!

Spare parts:


Item No.	Drive	Length (mm)	Weight (g)
10017	A/F 17- hex head	65	377

Item No.	Description
11017	Screw for Hole Punch, A/F 17, incl. washer



Flare Nut Spanner, 17 x 19

- Ideal for all 17 and 19 mm fittings in the Sanitary- final assembly and to actuate the 17 mm traction screw of the Double Hole Punch.
- DIN 3118 A
- Chrom-Vanadium steel, chrome plated



Item No.	Size	Length (mm)	Weight (g)
11104	A/F 17 + A/F 19	215	154



Stud screwdriver

Stud screw driver

- This tool enables quick and effortless screw in and out of stay bolts, threaded rods and stud screws.
- Peak traction because of unique 6-roll- technology (M8 – M12)
- Available in different drive variants:



Stud screwdriver with 1/4"- shank



Item No.	Thread	Length (mm)	Weight (g)
20106	M 6	70	70
20108	M 8	70	80
20110	M 10	75	100
20112	M 12	75	113

Stud screwdriver with SDS- shank



Item No.	Thread	Length (mm)	Weight (g)
20206	M 6	96	100
20208	M 8	99	116
20210	M 10	102	142
20212	M 12	103	146

Stud screwdriver with hex head- shank



Item No.	Thread	Length (mm)	Weight (g)
20306	M 6	70	78
20308	M 8	70	91
20310	M 10	80	111
20312	M 12	80	125

Stud screwdriver



Stud screwdriver with 1/2"- female square

Item No.	Thread	Length (mm)	Weight (g)
20408	M 8	35	60
20410	M 10	42	86
20412	M 12	45	108



Stud screwdriver with 1/2"- Female square and Special- Bit- Adapter, magnetic, 1/4"- shank

Item No.	Thread	Length (mm)	Weight (g)
20508	M 8	92	107
20510	M 10	100	133
20512	M 12	102	155



Special Bit Adapter, magnetic, 1/4" hex head- shank

Item No.	Drive	Length (mm)	Weight (g)
11102	1/2"- square	73	50



Pipe-clip- Mounting tool M8

- Combination tool for machine screwing stud screws M8 in conjunction with a screwing function for quick pipe clamp installation.

Item No.	Drive	Length (mm)	Weight (g)
20002	10 mm- hex head	77	100





Sanitary tool sets



S- Connection- Mounting- Set, 2-pcs.

- Small handy tool set for easy mounting and alignment of 3/4" eccentric fittings for wall taps.
- The S-Connection- Mounting tool enable the damage- free turn in and out of eccentric fittings for wall tapware.
- With the Normfix- assembly template, the eccentric fittings can be aligned at the standard spacing.

Consisting of:

- > Normfix- assembly template 3/4"
- > S- Connection- Mounting- tool 3/4", 1/2"- female square



Item No.	Description	Length (mm)	Width (mm)	Height (mm)	Weight (g)
30202	S- Connection- Mounting- Set, 2 pcs.	345	85	55	671



FILUFIX, Stud screwdriver- Socket- Set, 3-pcs.

- Small, handy 3-piece tool kit for Stud screw mounting.
- For use with the most common M8 and M10 bolts.
- Variable drive via magnetic adapter.
- 6-roll- technology for gentle turn in and out of Stud screws and Threaded pins.
- Magnetic hold of Stud screws for hands- free working.

Consisting of:

- > Stud screwdriver with 1/2"- female square, M8
- > Stud screwdriver with 1/2"- female square, M10
- > Special bit adapter magnetic, 1/4"- shank



Item No.	Description	Length (mm)	Width (mm)	Height (mm)	Weight (g)
30103	FILUFIX- Set, 3-pcs.	145	85	35	256

WC- Sanitary- Set, 3-pcs.



[1]
[2]
[3]



- Ideal for in-house technicians, facility manager and Installers.
- Installation and repair of toilet seats.
- Fastening screws on bottom of stand-WC's.
- Small, handy plastic case with Foam insert.

Item No.	Description	Length (mm)	Width (mm)	Height (mm)	Weight (g)
30101	WC- Sanitary- Set, 3-pcs.	235	180	50	739

Specific customized 3- piece tool kit for the toilet seat mounting and disassembly, consisting of:

[1] 1/4" Ratchet bit screwdriver

Robust ratchet screwdriver with pivot head and bit magazine.



[2] Universal Key for toilet seat fixing, 10 mm and 1/4"- Combi- drive

Special key for mounting the most common Wing nuts.



[3] 1/4" Special socket key A/F 13, 10mm and 1/4"- Combi- drive

Application Optimized special wrench SW 13 for toilet seat mounting nuts.





Sinkfix, 9-pcs.



- Classic special tool set for the sanitary final installation.
- Ideal for assembly work, suitable for construction site.
- in plastic case with foam insert.
- Optimized Value variant.

Item No.	Description	Length (mm)	Width (mm)	Height (mm)	Weight (g)
30106	Sinkfix, 9-tlg.	340	275	83	2030

Combinable Tool set for the disassembly and assembly of washbasin consisting of:

[1] Universal stud screw key drive tool M8/M10

Drive tool for installing and removing of stud screws M8 (8 mm) and M10 (10 mm), as well as to connecting of all 10 mm- hex head accessories tools with plug clamping effect.

[2] Ventilfix, Tool for drain valves 1.1/4", 10 mm- hex head

Fittings gentle siphon tool for a damage- free counterbalance of drain valves.

[3] Angle valve screw- in- assistance, 10 mm- hex head drive

For gentle mounting of angle valves, also suitable for very narrow places.

[4] S- Connection- Mounting tool 3/4", 10 mm- hex head

Special Socket for installing and removing S-connections with 3/4"- thread.

[5] Key for mixer taps, extra long

Extremely slim special socket key in the sizes A/F 9, A/F 10, A/F 11, A/F 12 and A/F 13 to mount the securing screw of fittings.



Sinkfix, 10-pcs.



- Extended special tool set for sanitary final assembly.
- Ideal for assembly work, suitable for construction site in plastic case with foam insert.
- Application-optimized compilation with Normfix- assembly template and Combi- Angle valve screw- in- assistance.

Item No.	Description	Length (mm)	Width (mm)	Height (mm)	Weight (g)
30110	Sinkfix, 10-pcs.	340	275	70	2340

Combinable Tool set for the sanitary final disassembly and assembly, consisting of:

[1] Universal stud screw key drive tool M8/M10

Drive tool for installing and removing of stud screws M8 (8 mm) and M10 (10 mm), as well as to connecting of all 10 mm hex head accessories tools with plug clamping effect.

[2] Ventilfix, Tool for drain valves 1.1/4", 10 mm- hex head

Fittings gentle siphon tool for a damage-free counterbalance of drain valves.

[3] Combi- Angle valve screw- in- assistance, 10 mm- hex head

For gentle mounting of Combi- angle valves, also suitable for very narrow places.

[4] S- Connection- Mounting tool 3/4", 10 mm- hex head


Special Socket for installing and removing S-connections with 3/4 " - thread.

[5] Key for mixer taps, extra long

Extremely slim special socket key in the sizes A/F 9, A/F 10, A/F 11, A/F 12 and A/F 13 to mount the securing screw of fittings.

[6] Normfix- assembly template

for fast alignment of the S- Connections of standard wall fittings in conjunction with Sinkfix- S- Connection mounting tool (Item No. 100003).





Sinkfix, 10-pcs.

Possible combinations:



Counterbalance the drain valve.



Mount the securing screw of fittings.



Aligning the S- Connections.



On and unscrew S- Connections.



On and unscrew Angle valves and Combi- Angle valves.

Sinkfix, 12-pcs.



- Classic special tool set for the disassembly and assembly of washbasin.
- Ideal for assembly work, suitable for construction site. in plastic case with foam insert.
- Optimized Value variant with 1/2" Pivot Head Ratchet Wrench and Ventilfix, 1.1/4", T- handle

All special tools of this case with 10 mm- hex head drive works combined with Stud screwdriver, 1/2"- female square, M10 and 1/2" Pivot Head Ratchet Wrench.

Item No.	Description	Length (mm)	Width (mm)	Height (mm)	Weight (g)
30112	Sinkfix, 12-pcs.	340	275	70	2330

Combinable Tool set for the disassembly and assembly of washbasin consisting of:

[1] 1/2" Pivot Head Ratchet Wrench, 72 Teeth

Drive tool to take up included special tools with 1/2" female square.

[2] Stud screwdriver, 1/2"- female square, M8

For fast turn in and out of 8 mm / M8 stud screws without lock with a locknut.

[3] Stud screwdriver, 1/2"- female square, M10

For fast turn in and out of 10 mm / M10 stud screws without lock with a locknut.

[4] Special- Bit- Adapter, magnetic, 1/4"- hex head- shank

For machine use of Stud screwdriver, 1/2"- female square, M8 and M10.

[5] S- Connection- Mounting tool 3/4", 1/2"- female square

Special Socket for installing and removing S-connections with 3/4" - thread.

[6] Ventilfix, Tool for drain valves 1.1/4", T- handle

Gentle tapware siphon-tool for damage- free counterbalance of drain valves.

[7] Angle valve screw- in- assistance, 1/2"- female square

For gentle mounting of angle valves, also suitable for very narrow places.

[8] Key for mixer taps, extra long

Extremely slim special socket key in the sizes A/F 9, A/F 10, A/F 11, A/F 12 and A/F 13 to mount the securing screw of fittings.





Sinkfix MAXI, 14-pcs.



- 14 combinable special tools.
- Practical plastic case with foam insert.
- Many important special tools in a concise and compact arrangement system.



All special tools of this case with 10 mm- hex head drive works combined with Stud screwdriver, 1/2"- female square, M10 and 1/2" Flexible handle.

Item No.	Description	Length (mm)	Width (mm)	Height (mm)	Weight (g)
30104	Sinkfix, 14-pcs.	395	295	106	2800



Counterbalance the drain valve.



Screwing in and unscrewing Tap extensions.



Mount the securing screw of fittings.



Installing and removing 3/4"- S- Connections.



Milling Tap extensions.



On and unscrew Angle valves.

Sinkfix MAXI, 14-pcs.



Many opportunities in a complete set with additional special tools for various usage consisting of:

[1] 1/2" Flexible handle

Drive tool to take up included special tools with 1/2" female square.

[2] Stud screwdriver, 1/2"- female square, M8

For fast turn in and out of 8 mm / M8 stud screws without lock with a locknut.

[3] Stud screwdriver, 1/2"- female square, M10

For fast turn in and out of 10 mm / M10 stud screws without lock with a locknut.

[4] Special- Bit- Adapter, magnetic, 1/4"- hex head- shank

For machine use of Stud screwdriver, 1/2"- female square, M8 and M10.

[5] S- Connection- Mounting tool 3/4", 1/2"- female square

Special Socket for installing and removing S-connections with 3/4"- thread.

[6] Ventilfix, Tool for drain valves 1.1/4", 1/2"-female square

Gentle tapware siphon-tool for damage- free counterbalance of drain valves.

[7] Angle valve screw- in- assistance, 1/2"- female square

For gentle mounting of angle valves, also suitable for very narrow places.

[8] Key for mixer taps, extra long

Extremely slim special socket key in the sizes A/F 9, A/F 10, A/F 11, A/F 12 and A/F 13 to mount the securing screw of fittings.

[9] Tap extension- Bit, 1/2"- female square, A/F 12

For screwing in and unscrewing 1/2" - tap extensions

[10] Tap extension milling cutter 1/2", SDS- shank


For flush trimming of producing 1/2"- tap extensions.





Sinkfix PROFI, 20-pcs.

- 20 combinable special tools for the sanitary final assembly.
- All important special tools in a concise and compact arrangement system.



Item No.	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
20120	Sinkfix PROFI, 20-pcs. in plastic case	437	379	100	4,5
20120-01	Empty case incl. insert Sinkfix PROFI, 20-pcs.	437	379	100	1,6



> More tool case inserts for Vehicle equipment and arrangement systems on demand!

Item No.	Description	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
20121	Sinkfix PROFI, 20-pcs. in Sortimo- L-Boxx 102	442	357	117	5,5
20121-01	Empty case, Sortimo- L-Boxx 102, Sinkfix PROFI, 20-pcs.	442	357	117	2,1
20121-02	Insert for Sortimo- L-Boxx, Sinkfix PROFI, 20-pcs.	405	315	50	0,2

Sinkfix PROFI, 20-pcs.



The complete tool set for the sanitary- final assembly with additional special tools for various usage consisting of:

[1] 1/2" Pivot Head Ratchet Wrench, 72 Teeth

Drive tool to take up included special tools with 1/2" female square.

[2] Stud screwdriver, 1/2"- female square, M8

For fast turn in and out of 8 mm / M8 stud screws without lock with a locknut.

[3] Stud screwdriver, 1/2"- female square, M10

For fast turn in and out of 10 mm / M10 stud screws without lock with a locknut.

[4] Stud screwdriver, 1/2"- female square, M12

For fast turn in and out of 10 mm / M10 stud screws without lock with a locknut.

[5] Special- Bit- Adapter, magnetic, 1/4"- hex head- shank

For machine use of Stud screwdriver, 1/2"- female square, M8, M10 and M12.

[6] S- Connection- Mounting tool 3/4", 1/2"- female square

Special Socket for installing and removing S-connections with 3/4" - thread.

[7] Ventilfix, Tool for drain valves 1.1/4" 1/2"- female square

Gentle tapware siphon- tool for damage- free counterbalance of drain valves.

[8] Angle valve screw- in- assistance, 1/2"- female square

For gentle mounting of angle valves, also suitable for very narrow places.

[9] Combi- Angle valve screw- in- assistance, 10 mm- hex head

For gentle mounting of Combi- angle valves, also suitable for very narrow places.

[10] Universal key for toilet seat fixing, 1/2"- female square

Plug-in socket for the assembly of WC- seats.

[11] Key for mixer taps, extra long

Extremely slim special socket key in the sizes A/F 9, A/F 10, A/F 11, A/F 12 and A/F 13 to mount the securing screw of fittings.

[12] Tap extension- Bit, 1/2"- female square, A/F 12

For screwing in and unscrewing 1/2"- tap extensions

[13] Tap extension milling cutter 1/2", SDS- shank

For flush trimming of producing 1/2"- tap extensions.

[14] Normfix- assembly template

For fast alignment of the S- Connections of standard wall fittings.

[15] Double Hole Punch 32 + 35 mm

For punching steel, stainless steel, copper and aluminum sheets up to max. 2 mm.

[16] Doppelringschlüssel, offen, 17 x 19

Ideal for all 17 and 19 mm fittings in the Sanitary- final assembly.





Sales displays



Item No. 91012

Counter- display

Space- saving counter display for sale at the „Point of Sale“.

Ideal as a „silent salesman“ with lots of informations for the end user.

Equipping:

No.	Item No.	Description
1	20308	Stud screwdriver, hex head- shank, M 8
2	20310	Stud screwdriver, hex head- shank, M 10
3	10103	S- Connection- Mounting tool 3/4", 1/2" - female square
4	10007	Tap extension milling cutter 1/2". SDS- shank
5	10009	Angle valve screw- in- assistance, 1/2" female square
6	30106	Sinkfix, 9-pcs.



Product blister

Intuitive product blister with information on use of variants and application possibilities.




Tool town Schmalkalden >



stands for quality tool
manufacturer brand

Development and production of special tools at the
traditional production site of the German tool industry,
Schmalkalden in the Thuringian Forest.

More informations
www.sinkfix.de



Contact:

An der Eisenbrücke 3, 98574 Schmalkalden - Germany
Phone: +49 (0) 3683/6465689 | Fax: +49 (0) 3683/465574
E-Mail: info@sinkfix.de

sinkfix.de

A brand of wev Schmalkalden